

Test Report No. CANEC2301709412 Date: 20 Feb 2023 Page 1 of 14

Client Name: SHENGYI TECHNOLOGY (SHAANXI) CO.,LTD

Client Address: NO.8 YONGCHANG ROAD, QINDU DISTRICT, XIANYANG CITY, SHAANXI PROVINCE

CHINA

Sample Name: metal base copper clad laminate

Model No.: SAR20H

The above sample(s) and information were provided by the client.

SGS Job No.: CP23-004398 - GZ

Date of Sample Received: 13 Feb 2023

Testing Period : 13 Feb 2023 - 20 Feb 2023

Test Requested: Selected test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Result Summary:

| Test Requested | Conclusion |
|---|-------------|
| EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU-Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) | PASS |
| Elementary Analysis | See Results |
| Halogen | See Results |
| Phthalate | See Results |
| Hexabromocyclododecane (HBCDD) | See Results |
| Perfluorooctanoic acid (PFOA) and its salts & Perfluorooctane sulfonates (PFOS) and its derivatives | See Results |





No. CANEC2301709412

Date: 20 Feb 2023

Page 2 of 14

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Coral Qiu

Coral Qiu

Approved Signatory







No. CANEC2301709412

Date: 20 Feb 2023

Page 3 of 14

Test Result(s):

Test Part Description:

Specimen No. SGS Sample ID Description

SN1 CAN23-017094.011 Copper clad silvery laminate

Remarks:

(1) 1 mg/kg = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)

Test Method: With reference to IEC 62321-4:2013+A1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC 62321-6:2015 and IEC 62321-8:2017, analyzed by ICP-OES, UV-Vis and GC-MS.

| Test Item(s) | <u>Limit</u> | <u>Unit</u> | <u>MDL</u> | <u>011</u> |
|----------------------------|--------------|-------------|------------|------------|
| Cadmium (Cd) | 100 | mg/kg | 2 | ND |
| Lead (Pb) | 1000 | mg/kg | 2 | 4 |
| Mercury (Hg) | 1000 | mg/kg | 2 | ND |
| Hexavalent Chromium (CrVI) | 1000 | mg/kg | 8 | ND |
| Sum of PBBs | 1000 | mg/kg | - | ND |
| Monobromobiphenyl | - | mg/kg | 5 | ND |
| Dibromobiphenyl | - | mg/kg | 5 | ND |
| Tribromobiphenyl | - | mg/kg | 5 | ND |
| Tetrabromobiphenyl | - | mg/kg | 5 | ND |
| Pentabromobiphenyl | - | mg/kg | 5 | ND |
| Hexabromobiphenyl | - | mg/kg | 5 | ND |
| Heptabromobiphenyl | - | mg/kg | 5 | ND |
| Octabromobiphenyl | - | mg/kg | 5 | ND |
| Nonabromobiphenyl | - | mg/kg | 5 | ND |
| Decabromobiphenyl | - | mg/kg | 5 | ND |
| Sum of PBDEs | 1000 | mg/kg | - | ND |
| Monobromodiphenyl ether | - | mg/kg | 5 | ND |
| Dibromodiphenyl ether | - | mg/kg | 5 | ND |
| Tribromodiphenyl ether | - | mg/kg | 5 | ND |
| Tetrabromodiphenyl ether | - | mg/kg | 5 | ND |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com

No.198、Kezhu Read, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 中国・广东・广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 www.sgsgroup.com.cn t (86–20) 82155555 sgs.china@sgs.com



| Test Report | No. CANEC2301709 | 412 | Date: 2 | 20 Feb 2023 | Page 4 of 14 |
|-------------------------------------|------------------|-------------|---------|-------------|--------------|
| Test Item(s) | <u>Limit</u> | <u>Unit</u> | MDL | <u>011</u> | |
| Pentabromodiphenyl ether | - | mg/kg | 5 | ND | |
| Hexabromodiphenyl ether | - | mg/kg | 5 | ND | |
| Heptabromodiphenyl ether | - | mg/kg | 5 | ND | |
| Octabromodiphenyl ether | - | mg/kg | 5 | ND | |
| Nonabromodiphenyl ether | - | mg/kg | 5 | ND | |
| Decabromodiphenyl ether | - | mg/kg | 5 | ND | |
| Dibutyl phthalate (DBP) | 1000 | mg/kg | 50 | ND | |
| Butyl benzyl phthalate (BBP) | 1000 | mg/kg | 50 | ND | |
| Bis (2-ethylhexyl) phthalate (DEHP) | 1000 | mg/kg | 50 | ND | |
| Diisobutyl Phthalates (DIBP) | 1000 | mg/kg | 50 | ND | |
| | | | | | |

Notes:

- (1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
- (2) IEC 62321 series is equivalent to EN 62321 series
- (3) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.

Elementary Analysis

Test Method: SGS In-house method (GZTC CHEM-TOP-004-01, with reference to EPA 3052:1996), analysis

was performed by ICP-OES.

| Test Item(s) | <u>Unit</u> | <u>MDL</u> | <u>011</u> |
|----------------|-------------|------------|------------|
| Antimony (Sb) | mg/kg | 10 | ND |
| Beryllium (Be) | mg/kg | 5 | ND |

Halogen

Test Method: With reference to EN 14582:2016, analysis was performed by IC.

| Test Item(s) | <u>Unit</u> | <u>MDL</u> | <u>011</u> |
|---------------|-------------|------------|------------|
| Fluorine (F) | mg/kg | 50 | ND |
| Chlorine (CI) | mg/kg | 50 | ND |
| Bromine (Br) | mg/kg | 50 | ND |
| lodine (I) | mg/kg | 50 | ND |





No. CANEC2301709412

Date: 20 Feb 2023

Page 5 of 14

Phthalate

Test Method: With reference to EN14372: 2004. Analysis was performed by GC-MS.

| Test Item(s) | CAS NO. | <u>Unit</u> | MDL | <u>011</u> |
|---|--------------|-------------|-------|------------|
| Dibutyl Phthalate (DBP) | 84-74-2 | %(w/w) | 0.003 | ND |
| Benzylbutyl Phthalate (BBP) | 85-68-7 | %(w/w) | 0.003 | ND |
| Bis(2-ethylhexyl) Phthalate (DEHP) | 117-81-7 | %(w/w) | 0.003 | ND |
| Diisononyl Phthalate (DINP) | 28553-12-0 / | %(w/w) | 0.010 | ND |
| | 68515-48-0 | | | |
| Di-n-octyl Phthalate (DNOP) | 117-84-0 | %(w/w) | 0.003 | ND |
| Diisodecyl Phthalate (DIDP) | 26761-40-0 / | %(w/w) | 0.010 | ND |
| | 68515-49-1 | | | |
| Di-n-hexyl Phthalate (DnHP) | 84-75-3 | %(w/w) | 0.003 | ND |
| Diisobutyl Phthalate (DIBP) | 84-69-5 | %(w/w) | 0.003 | ND |
| 1,2-Benzenedicarboxylic acid, di-C7-11-branched | 68515-42-4 | %(w/w) | 0.010 | ND |
| and linear alkyl esters (DHNUP) | | | | |
| Bis(2-methoxyethyl) Phthalate (DMEP) | 117-82-8 | %(w/w) | 0.003 | ND |
| 1,2-Benzenedicarboxylic acid, di-C6-8-branched | 71888-89-6 | %(w/w) | 0.010 | ND |
| alkyl esters, C7-rich (DIHP) | | | | |
| Diisopentyl Phthalate (DIPP) | 605-50-5 | %(w/w) | 0.003 | ND |
| n-pentyl Isopentyl Phthalate (nPIPP) | 776297-69-9 | %(w/w) | 0.003 | ND |
| 1,2-Benzenedicarboxylic acid, dipentyl ester, | 84777-06-0 | %(w/w) | 0.010 | ND |
| branched and linear (DPP) | | | | |
| Dipentyl Phthalates (DPENP/DnPP) | 131-18-0 | %(w/w) | 0.003 | ND |
| 1,2-Benzenedicarboxylic acid, dihexyl ester | 68515-50-4 | %(w/w) | 0.010 | ND |
| branched and linear(DHP) | | | | |
| Dimethyl Phthalate (DMP) | 131-11-3 | %(w/w) | 0.003 | ND |
| | | | | |

Notes:

- (1) DBP,BBP,DEHP, DIBP Reference information: Entry 51 of Regulation (EU) 2018/2005 amending Annex XVII of REACH Regulation (EC) No 1907/2006:
- i) Shall not be used as substances or in mixtures, individually or in any combination of DBP, BBP, DEHP & DIBP, in concentrations equal to or greater than 0.1 % by weight of the plasticised material, in toys and childcare articles.
- ii) Shall not be placed on the market in toys or childcare articles, individually or in any combination of DBP, BBP, DEHP, in concentrations equal to or greater than 0.1 % by weight of the plasticised material. In addition, DIBP shall not be placed on the market after 7 July 2020 in toys or childcare articles, individually or in any combination of DBP, BBP, DEHP & DIBP, in concentrations equal to or greater than 0.1 % by weight of the plasticised material.
- iii) shall not be placed on the market after 7 July 2020 in articles, individually or in any combination of DBP, BBP, DEHP & DIBP, in concentrations equal to or greater than 0.1 % by weight of the plasticised



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 中国・广东・广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 t (86–20) 82155555 www.sgsgroup.com.cn sgs.china@sgs.com



No. CANEC2301709412

Date: 20 Feb 2023

Page 6 of 14

material in the articles.

Please refer to Regulation (EU) 2018/2005 to get more detail information

- (2) DINP, DNOP, DIDP Reference information: Entry 52 of Regulation (EU) 2015/326 amending Annex XVII of REACH Regulation (EC) No 1907/2006.
- i) Shall not be used as substances or in mixtures, in concentrations greater than 0.1 % by weight of the plasticised material, in toys and childcare articles which can be placed in the mouth by children.
- ii) Such toys and childcare articles containing these phthalates in a concentration greater than 0.1 % by weight of the plasticised material shall not be placed on the market.

Please refer to Regulation (EU) 2015/326 to get more detail information

Hexabromocyclododecane (HBCDD)

Test Method: SGS in house method (GZTC CHEM-TOP-073, with reference to EPA 3550C:2007), analysis was performed by GC-MS.

| Test Item(s) | CAS NO. | <u>Unit</u> | <u>MDL</u> | <u>011</u> |
|--|-------------|-------------|------------|------------|
| Hexabromocyclododecane (HBCDD) and all major | 25637-99-4 | mg/kg | 10 | ND |
| diastereoisomers identified (α-HBCDD, β-HBCDD, | 3194-55-6 | | | |
| γ-HBCDD) | 134237-50-6 | | | |
| | 134237-51-7 | | | |
| | 134237-52-8 | | | |

Perfluorooctanoic acid (PFOA) and its salts & Perfluorooctane sulfonates (PFOS) and its derivatives

Test Method: With reference to CEN/TS15968:2010, analysis was performed by LC-MS or LC-MS/MS.

| Test Item(s) | CAS NO. | <u>Unit</u> | <u>MDL</u> | <u>011</u> |
|--|------------|-------------|------------|------------|
| Perfluorooctanoic acid (PFOA) and its salts* | - | mg/kg | 0.010 | ND |
| Perfluorooctane sulfonates (PFOS) and its salts* | - | mg/kg | 0.010 | ND |
| Perfluorooctane Sulfonamide (PFOSA) | 754-91-6 | mg/kg | 0.010 | ND |
| N-methylperfluoro-1-octanesulfonamide(N-MeFOSA) | 31506-32-8 | mg/kg | 0.010 | ND |
| N-ethylperfluoro-1-octanesulfonamide (N-EtFOSA) | 4151-50-2 | mg/kg | 0.010 | ND |
| 2-(N-methylperfluoro-1-octanesulfonamido) -ethanol(N-MeFOSE) | 24448-09-7 | mg/kg | 0.010 | ND |
| 2-(N-ethylperfluoro-1-octanesulfonamido) -ethanol(N-EtFOSE) | 1691-99-2 | mg/kg | 0.010 | ND |
| Perfluorooctane sulfonates (PFOS) and its derivatives | - | mg/kg | - | ND |

Notes:

(1) PFOA and its salts* including PFOA (CAS No. 335-67-1), APFO (CAS No. 3825-26-1), PFOA-Na (CAS No. 335-95-5), PFOA-K (CAS No. 2395-00-8), PFOA-Ag (CAS No. 335-93-3) and PFOA-F (CAS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 中国・广东・广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 www.sg t (86–20) 82155555 sgs.chin



No. CANEC2301709412

Date: 20 Feb 2023

Page 7 of 14

No. 335-66-0). The result of PFOA is used to represent PFOA and its salts.

(2) PFOS and its salts* including PFOS (CAS No. 1763-23-1), POSF(CAS No. 307-35-7), PFOS-K (CAS No. 2795-39-3), PFOS-NH₄ (CAS No. 29081-56-9), PFOS-N($C_{10}H_{21}$)₂(CH₃)₂ (CAS No. 251099-16-8), PFOS-NH₂($C_{2}H_{4}OH$)₂ (CAS No. 70225-14-8), PFOS-Li (CAS No. 29457-72-5), PFOS-N($C_{2}H_{5}$)₄ (CAS No. 56773-42-3) and PFOS-Na (CAS No. 4021-47-0). The result of PFOS is used to represent PFOS and its salts.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.





No. CANEC2301709412


Date: 20 Feb 2023

Page 8 of 14

ATTACHMENTS

Pb/Cd/Hg/Cr6+/PBBs/PBDEs Testing Flow Chart

- 1) Name of the person who made testing: Edith Zhang/Blue Lan/Judy Chen
- 2) Name of the person in charge of testing: Bella Wang/Qiong Liu
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ and PBBs/PBDEs test method excluded).







No. CANEC2301709412


Page 9 of 14

Date: 20 Feb 2023

ATTACHMENTS

Phthalates Testing Flow Chart

- 1) Name of the person who made testing: Judy Chen
- 2) Name of the person in charge of testing: Qiong Liu







No. CANEC2301709412


Page 10 of 14

Date: 20 Feb 2023

ATTACHMENTS

Halogen Testing Flow Chart

- 1) Name of the person who made testing: Allen Shi
- 2) Name of the person in charge of testing: Bella Wang







No. CANEC2301709412


Page 11 of 14

Date: 20 Feb 2023

ATTACHMENTS

HBCDD Testing Flow Chart

- 1) Name of the person who made testing: Judy Chen
- 2) Name of the person in charge of testing: Qiong Liu







No. CANEC2301709412


Page 12 of 14

Date: 20 Feb 2023

ATTACHMENTS

PFAS Testing Flow Chart

- 1) Name of the person who made testing: Olivia Li
- 2) Name of the person in charge of testing: Qiong Liu







No. CANEC2301709412

Page 13 of 14


Date: 20 Feb 2023

ATTACHMENTS

Elementary Testing Flow Chart

1) Name of the person who made testing: Edith Zhang

2) Name of the person in charge of testing: Bella Wang








No. CANEC2301709412

Page 14 of 14

Date: 20 Feb 2023

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

